

IN THE CLAIMS

1. (Currently Amended) A process for measuring effectiveness of a web site having a test web page, the process comprising:

having a plurality versions of the test web page, the test web page representing an entire display available when a user visits a particular web site address;

distributing web page access requests to the various versions of the test web page according to a predetermined distribution function; and

counting visits to one or more hyperlinks from each version of the test web page to determine a relative effectiveness of each version of the test web page.

2. (Original) The process as recited in claim 1, wherein said predetermined distribution function is a sequential function.

3. (Original) The process as recited in claim 1, wherein said predetermined distribution function is a random function.

4. (Previously Presented) The process as recited in claim 1, wherein distributing requests comprises:
receiving requests for the test web page;
directing said requests to one of the versions of the test web page in accordance with the predetermined distribution function.

5. (Previously Presented) The process as recited in claim 1, further comprising:

- repeating the process;
- after a period, evaluating a success of each version of the test web page; and
- selecting a version having a highest success rate, and setting the test web page to the selected version.

6. (Currently Amended) A process for directing requests for a test web page having a predetermined universal resource location (URL), comprising:

- having a plurality of versions of the test web pages, a test web page associated with the URL and displayed to a user when the user visits the URL;

- distributing requests to a version of the test web page according to a predetermined distribution function wherein said requests are distributed by directing requests for the test web page to one of the versions of the test web page in accordance with a predetermined distribution function; and

- measuring a relative effectiveness of each version of the test web site, based on a success percentage.

7. (Original) The process as recited in claim 6, wherein said predetermined distribution function is a random function.

8. (Original) The process as recited in claim 6, wherein said predetermined distribution function is a sequential function.

9. (Currently Amended) A method of measuring the effectiveness of a web page having different versions, the method comprising:

displaying a version of the web page to a user, the web page associated with a location on the World Wide Web visited by a user by selecting the location address, and the version selected according to a predetermined distribution function;

for each version of the web page, counting occurrences of a desired behavior of the user to track the effectiveness of that version of the web page.

10. (Previously Presented) The method of claim 9, further comprising, upon completion of testing:

identifying an effective version of the web page based on the percentage of success of achieving the desired behavior; and

setting the web page to a most effective version of the web page.

11. (Previously Presented) The method of claim 10, wherein the most effective version of the web page is not identical to any of the versions tested, and the most effective version of the web page includes features from more than one version of the web page.

12. (Previously Presented) The method of claim 9, wherein versions of the web page may differ in one or more of the following: layout, images, content, links, hypertext elements, complexity.

13. (Previously Presented) The method of claim 12, wherein each version of the web page only varies in one feature, such that each feature of the web page is independently tested for effectiveness.

14. (Previously Presented) The method of claim 13, wherein the most effective version of the web page includes each feature having a highest rate of occurrences of the desired behavior.

15. (Previously Presented) The method of claim 9, wherein the versions of the web page may be generated on-the-fly, when a request for the web page is received.

16. (Previously Presented) The method of claim 9, wherein the versions of the web page are static web pages, generated in advance, and further comprising:
configuring the versions of the test page in effective parallel paths.

17. (Previously Presented) The method of claim 9, wherein the successful response comprises one or more of the following: reading the web page, following a

link, purchasing an item, filling-in a form, interacting with the web page, downloading data from the web page.

18. (Withdrawn) A method of improving effectiveness of a web page comprising:

defining and prioritizing objectives of a web page;

determining a definition of success for each objective;

testing the web page, the testing comprising:

designing at least two versions of the target web page, focusing on the objectives; and

displaying a version of the target web page to a user, the version selected according to a predetermined distribution function;

at a conclusion of the testing, identifying a success ratio for each objective.

19. (Withdrawn) The method of claim 18, further comprising selecting the web page from a plurality of pages, the selecting comprising:

computing a priority ranking for each web page on the web site, based on the objectives; and

selecting a web page having a highest priority objective.

20. (Withdrawn) The method of claim 18, wherein each version of the web page varies at least one aspect of the web page.

21. (Withdrawn) The method of claim 20, wherein aspects of the web page include one or more of the following: layout, graphic, link, text.

22. (Withdrawn) The method of claim 20, wherein the success ratio of each aspect is measured separately.

23. (Withdrawn) The method of claim 22, wherein for each aspect of the web page, the version having the highest success ratio is chosen for the optimized web page.

24. (Withdrawn) The method of claim 18, wherein each version of the target web page is dynamically generated in response to a request.

25. (Withdrawn) The method of claim 18, wherein each version of the target web page is a static web page, generated prior to the testing.

26. (Withdrawn) The method of claim 18, wherein the successful response comprises one or more of the following: reading the web page, following a link, purchasing an item, filling-in a form, interacting with the web page, downloading data from the web page, clicking on a banner advertisement.

27. (Withdrawn) A method of improving effectiveness of a web page comprising:
- defining a plurality of features of the web page;
 - defining a successful user response for a feature of the web page;
 - designing a plurality of versions of the web page, each version varying one feature of the web page;
 - directing users to one of the versions of the web page in accordance with a predetermined distribution function; and
 - measuring the successful responses for the feature of the web page.
28. (Withdrawn) The method of claim 27, wherein the successful response is defined as interacting with the web page.
29. (Withdrawn) The method of claim 27, wherein the successful response comprises one or more of the following: reading the web page, following a link, purchasing an item, filling-in a form, interacting with the web page, downloading data from the web page.
30. (Currently Amended) A computer data signal embodied in a carrier wave comprising:
- an HTML code segment indicating an HTML code to indicate a start of a web page;

a web page display code segment to display a version of the web page to a user, the version selected from a plurality of versions of the web page according to a predetermined distribution function;

an evaluation code segment to count the occurrence of a desired behavior of the user to track the effectiveness of each version of the web page.

31. (Previously Presented) The process of claim 5, wherein success comprises one or more of the following: reading the web page, following a link, purchasing an item, filling-in a form, interacting with the web page, and downloading data from the web page.

32. (Previously Presented) The process of claim 6, wherein relative effectiveness comprises one or more of the following: reading the web page, following a link, purchasing an item, filling-in a form, interacting with the web page, and downloading data from the web page.